



SAFETY DATA SHEET

50% MBT DISPERSION

Page 1

Issued: 05/01/09

Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: 50% MBT DISPERSION

Product code: fMBT//50

Use of substance / preparation: Accelerator for natural rubber in an aqueous base.

Company name: Aquaspersions Ltd

Beacon Hill Road

Halifax

West Yorkshire

HX3 6AQ

Tel: 01422 386200

Fax: 01422 386239

Email: technical@aquaspersions.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: May cause sensitisation by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: A THIAZOLE (2) 30-50%

[Sens.] R43; [N] R50/53

- AMMONIA SOLUTION 1-10%

[C] R34; [N] R50

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur.

Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water. Carbon dioxide. Alcohol or polymer foam. Dry chemical powder.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Yellow-brown

Odour: Characteristic odour

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: 200 - 1000 cps.

Relative density: 1.150 - 1.250

pH: 8.50 - 11.00

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

Materials to avoid: Acids. Bases. Oxidising agents.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: May cause sensitisation by skin contact.

12. ECOLOGICAL INFORMATION

Persistence and degradability: Only slightly biodegradable.

Bioaccumulative potential: No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Incinerate residues only in officially approved incinerator. Dispose of empty containers only on dumps designated for special waste or at an incineration plant for industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID**

UN no: 3082

ADR Class: 9


Packing group: III

Classification code: M6

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (A THIAZOLE (2))

Labelling: 9

Hazard ID no: 90

**IMDG / IMO**

UN no: 3082

Class: 9

Packing group: III

EmS: F-A,S-F

Marine pollutant: .

Labelling: 9

IATA / ICAO

UN no: 3082

Class: 9

Packing group: III

Packing instructions: 914

Labelling: 9

15. REGULATORY INFORMATION

Hazard symbols: Irritant.

Dangerous for the environment.



Risk phrases: R43: May cause sensitisation by skin contact.

SAFETY DATA SHEET

50% MBT DISPERSION

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases: S24: Avoid contact with skin.

S37: Wear suitable gloves.

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

Haz. ingredients (label): A THIAZOLE (2)

Water hazard class: 1

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other information: Medium-fast vulcanisation accelerator.

Risk phrases used in s.3: R43: May cause sensitisation by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R34: Causes burns.

R50: Very toxic to aquatic organisms.

Legal disclaimer: Aquaspersions Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

