



SAFETY DATA SHEET
60% AQUANOX 29 EMULSION

Page 1
Issued: 17/05/07
Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: 60% AQUANOX 29 EMULSION

Product code: fWIN2/60D

Use of substance / preparation: Antidegradant for use in polymer latices.

Company name: Aquaspersions Ltd

Beacon Hill Road

Halifax

West Yorkshire

HX3 6AQ

Tel: 01422 386200

Fax: 01422 386239

Email: technical@aquaspersions.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: May cause long-term adverse effects in the aquatic environment.

Other hazards: No other major hazards.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: WINGSTAY 29 50-70%

CAS: 68442-68-2

[-] R53

- SURFACTANT L 1-10%

[Xi] R36/38; [-] R53

- SURFACTANT B 1-10%

[Xn] R22; [Xi] R38; [Xi] R41

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Prolonged or repeated contact may sensitise skin or cause allergic reaction.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur.

Inhalation: If this dispersion is strongly heated it may release fumes which are irritating to the respiratory tract.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove contaminated clothing. Wash thoroughly with soap and water.

Eye contact: Irrigate with plenty of water. If persistent irritation occurs then seek advice from an ophthalmologist.

Ingestion: Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: In the unlikely event that this substance is inhaled (e.g. aspiration) then treat symptomatically and seek medical advice.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide. Water. Alcohol resistant foam. Dry chemical powder.

Exposure hazards: Virtually non-flammable as supplied. Residue may support combustion. Residues of this dispersion will mainly emit oxides of carbon and nitrogen on combustion.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel.
Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Store in closed containers, well protected from frost. Stir well before use.

Suitable packaging: Stainless steel. Polyethylene.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: White

Odour: Characteristic odour

Evaporation rate: Slow

Solubility in water: Miscible

Also soluble in: Not applicable.

Viscosity: 2000 - 5000cps

Boiling point/range°C: 100

Melting point/range°C: 0

Relative density: 1.00 - 1.10

pH: 11.00 - 13.00

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Extremes of temperature. Protect from frost.

Materials to avoid: Strong acids. Bases.

Haz. decomp. products: The residue of this emulsion may liberate toxic fumes in combustion.

11. TOXICOLOGICAL INFORMATION

Chronic toxicity: Prolonged skin contact may cause allergy by defatting

Routes of exposure: Not classified as a skin sensitiser, although may cause irritation or allergic reaction with prolonged contact.

12. ECOLOGICAL INFORMATION

Mobility: Miscible with water.

Persistence and degradability: No data available.

Bioaccumulative potential: No data available.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Retain for recovery. May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

IMDG / IMO

Marine pollutant: N

IATA / ICAO

15. REGULATORY INFORMATION

Hazard symbols: Symbol not required.

Risk phrases: R53: May cause long-term adverse effects in the aquatic environment.

Safety phrases: S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

Precautionary phrases: Contains acticide mbl. May produce an allergic reaction.

Water hazard class: 1

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other information: For use as an antioxidant in a variety of polymer latices.

Risk phrases used in s.3: R53: May cause long-term adverse effects in the aquatic environment.

R36/38: Irritating to eyes and skin.

R22: Harmful if swallowed.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

Legal disclaimer: Aquaspersions Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

