



SAFETY DATA SHEET

50% SSF DISPERSION

Page 1

Issued: 01/10/2008

Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: 50% SSF DISPERSION

Product code: fSSF//50

Use of substance / preparation: Sodium silicoflouride in an aqueous base.

Company name: Aquaspersions Ltd

Beacon Hill Road

Halifax

West Yorkshire

HX3 6AQ

Tel: 01422 386200

Fax: 01422 386239

Email: technical@aquaspersions.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: Toxic by inhalation, in contact with skin and if swallowed.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SODIUM FLUOROSILICATE 30-50%

EINECS: 240-934-8 CAS: 16893-85-9

[T] R23/24/25

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Irritation or pain may occur at the site of contact. Absorption through the skin may occur causing symptoms similar to those of ingestion.

Eye contact: There may be irritation and redness. There may be severe pain. Corneal burns may occur.

Ingestion: There may be difficulty swallowing. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation. Nausea and stomach pain may occur. There may be vomiting. The breathing may become shallow and rapid. May cause dizziness. There may be loss of consciousness. Convulsions may occur.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath. There may be loss of consciousness. Convulsions may occur.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

[cont...]

SAFETY DATA SHEET

50% SSF DISPERSION

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide. Alcohol resistant foam. Water.

Exposure hazards: Toxic. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Wear suitable respiratory protective equipment to prevent overexposure to mist.

Hand protection: Protective gloves.

Eye protection: Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. Ensure safety shower is to hand.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Beige

Odour: Odourless

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: 250 - 2500 cps.

Boiling point/range°C: 100

Melting point/range°C: 0

Relative density: 1.400 - 1.500

pH: 4.00 - 6.00

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Extremes of temperature. Protect from frost.

Materials to avoid: Oxidising agents. Bases. Aluminium. Magnesium. Acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: SODIUM FLUOROSILICATE

ORL MUS LD50 70 mg/kg

ORL RAT LD50 125 mg/kg

12. ECOLOGICAL INFORMATION

Mobility: Soluble in water.

Other adverse effects: Toxic to aquatic organisms. Very toxic to flora.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 2810

ADR Class: 6.1

Shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (SODIUM FLUOROSILICATE) (SODIUM FLUOROSILICATE)

Labelling: 6.1

Hazard ID no: 60



IMDG / IMO

UN no: 2810

Class: 6.1

Packing group: III

EmS: 6.1-02

Marine pollutant: NO

Labelling: 6.1

IATA / ICAO**UN no:** 2810**Class:** 6.1**Packing group:** III**Packing instructions:** 618**Labelling:** 6.1**15. REGULATORY INFORMATION****Hazard symbols:** Toxic.**Risk phrases:** R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.**Safety phrases:** S36/37: Wear suitable protective clothing and gloves.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.

Haz. ingredients (label): SODIUM FLUOROSILICATE**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Other information:** For use as a gelling-agent for rubber latex.**Risk phrases used in s.3:** R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.**Legal disclaimer:** Aquaspersions Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

