



SAFETY DATA SHEET

50% MBT DISPERSION

Page 1

Issued: 23/05/02

Revision No: 2

Aquaspersions Ltd
Beacon Hill Road
Halifax
West Yorkshire
HX3 6AQ
Tel: 01422 386200
Fax: 01422 386239

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: 50% MBT DISPERSION

Product code: fMBT//50

Use / description of product: 2-Mercaptobenzothiazole in an aqueous base.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient 1: A THIAZOLE (2) 30-60%
[Sens.] R43; [N] R50/53;

Ingredient 2: AMMONIA SOLUTION <10%
[C] R34; [N] R50;

3. HAZARDS IDENTIFICATION

Main hazards: May cause sensitisation by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur.

Inhalation: No symptoms.

4. FIRST AID MEASURES (ACTION)

Skin contact: If a person feels unwell after coming into contact with this dispersion then seek medical advice.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Wash out mouth with water and give 200-300ml warm water to drink. Seek medical attention immediately.

Inhalation: Remove patient to fresh air. Treat symptomatically and seek medical advice.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Water. Carbon dioxide. Alcohol or polymer foam. Dry chemical powder. Do not use any other types of extinguisher

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

50% MBT DISPERSION

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Most packagaing suitable, avoid mild-steel.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Yellow-brown

Odour: Slight ammoniacal

Viscosity: 200 - 1000 cps.

Oxidising: Non-oxidising (by EC criteria)

Evaporation rate: Negligible

Solubility in water: Miscible

Relative density: 1.150 - 1.250

pH: 8.50 - 11.00

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Extremes of temperature. Protect from frost.

Materials to avoid: Acids. Bases. Oxidising agents.

Haz. decomp. products: The residue of this emulsion may liberate toxic fumes when strongly heated.

11. TOXICOLOGICAL INFORMATION

Effects of exposure May cause sensitisation by skin contact.

12. ECOLOGICAL INFORMATION

Mobility: No data.

Persistence and degradability: Only slightly biodegradable.

Bioaccumulative potential: No data.

Other adverse effects: No data.

13. DISPOSAL CONSIDERATIONS

Waste disposal: In accordance with the local or national legislation.

Disposal of packaging: Incinerate residues only in officially approved incinerator. Dispose of empty containers only on dumps designated for special waste or at an incineration plant for industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID****IMDG / IMO**

Marine pollutant: N

IATA / ICAO**15. REGULATORY INFORMATION**

Hazard symbols: Irritant.

Dangerous for the environment.



Risk phrases: R43: May cause sensitisation by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases: S24/25: Avoid contact with skin and eyes.

S37: Wear suitable gloves.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

WGK: 2

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. ADDITIONAL INFORMATION

Additional information: Medium-fast vulcanisation accelerator.

Risk phrases used in s.2: R43: May cause sensitisation by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R34: Causes burns.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Aquaspersions Limited shall not be held liable for any

SAFETY DATA SHEET
50% MBT DISPERSION

damage resulting from handling or from contact with the above product.