



## SAFETY DATA SHEET

50% AQUANOX LDL A LV

Page 1

Issued: 23/03/2006

Revision No: 1

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** 50% AQUANOX LDL A LV

**Product code:** fLDL//50ALV

**Company name:** Aquaspersions Ltd

Beacon Hill Road

Halifax

West Yorkshire

HX3 6AQ

Tel: 01422 386200

Fax: 01422 386239

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** SURFACTANT S 1-10%

[Xi] R41; [Xn] R22

### 3. HAZARDS IDENTIFICATION

**Main hazards:** Irritating to eyes.

**Other hazards:** No other major hazards.

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** May cause irritation on prolonged or repeated contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Nausea and stomach pain may occur.

**Inhalation:** It is unlikely that this substance will be inhaled, unless through aspiration, due to its physical properties.

### 4. FIRST AID MEASURES (ACTION)

**Skin contact:** If a person feels unwell after coming into contact with this dispersion then seek medical advice.

**Eye contact:** No major hazards.

**Ingestion:** Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** In the unlikely event that this substance is inhaled (e.g. aspiration) then treat symptomatically and seek medical advice.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Carbon dioxide. Water. Alcohol resistant foam. Dry chemical powder.

**Exposure hazards:** Virtually non-flammable as supplied. Residue may support combustion. In combustion emits mainly oxides of carbon and sulphur.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

[cont...]

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel.  
Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

## 7. HANDLING AND STORAGE

- Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.
- Storage conditions:** Store in cool, well ventilated area. Store in closed containers, well protected from frost.
- Suitable packaging:** Stainless steel.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures:** Ensure there is sufficient ventilation of the area.
- Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand protection:** Protective gloves.
- Eye protection:** Safety goggles.
- Skin protection:** Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- State:** Liquid
- Colour:** Off-white
- Odour:** Sweet-smelling
- Evaporation rate:** Negligible
- Oxidising:** Not tested.
- Solubility in water:** Miscible
- Also soluble in:** Azeotropic mixtures.
- Boiling point/range°C:** 100
- Melting point/range°C:** 0
- Flammability limits %: lower:** Not applicable
- upper:** Not applicable
- Flash point°C:** Not applicable
- Part.coeff. n-octanol/water:** Not applicable
- Autoflammability°C:** Not tested
- Vapour pressure:** Not tested
- Relative density:** 0.950 - 1.050
- pH:** 5.50 - 7.50

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Extremes of temperature. Protect from frost.

**Materials to avoid:** Strong acids. Bases.

**Haz. decomp. products:** The residue of this emulsion may liberate toxic fumes in combustion.

**11. TOXICOLOGICAL INFORMATION**

**Chronic toxicity:** Repeated or prolonged contact may cause skin irritation/allergy.

**Routes of exposure:** No significant effects

**12. ECOLOGICAL INFORMATION**

**Mobility:** Not tested. Miscible with water.

**Persistence and degradability:** No data available.

**Bioaccumulative potential:** No data available.

**Other adverse effects:** Negligible ecotoxicity expected.

**13. DISPOSAL CONSIDERATIONS**

**Disposal of packaging:** Retain for recovery. May be reused following decontamination.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** -

**Shipping name:** NOT CLASSIFIED AS HAZARDOUS FOR TRANSPORT

**IMDG / IMO**

**UN no:** -

**Marine pollutant:** N

**Labelling:** NOT CLASSIFIED AS HAZARDOUS FOR TRANSPORT

**IATA / ICAO**

**UN no:** -

**Labelling:** NOT CLASSIFIED AS HAZARDOUS FOR TRANSPORT

**15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.



**Risk phrases:** R36: Irritating to eyes.

**Safety phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## SAFETY DATA SHEET

50% AQUANOX LDL A LV

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. OTHER INFORMATION

**Other information:** For use as an antioxidant in a variety of polymer latices.

**Risk phrases used in s.2:** R41: Risk of serious damage to eyes.

R22: Harmful if swallowed.

**Legal disclaimer:** Aquaspersions Limited shall not be held liable for any damage resulting from handling or from contact with the above product.

