



## SAFETY DATA SHEET

35% WAX EMULSION

Page 1

Issued: 23/05/02

Revision No: 2

Aquaspersions Ltd  
Beacon Hill Road  
Halifax  
West Yorkshire  
HX3 6AQ  
Tel: 01422 386200  
Fax: 01422 386239

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** 35% WAX EMULSION

**Product code:** fWAX//35D

**Use / description of product:** Wax in an aqueous base.

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Ingredient 1:** SURFACTANT C <10%  
[Xn] R22; [Xi] R41; [N] R53;

### 3. HAZARDS IDENTIFICATION

**Main hazards:** Irritating to eyes.

**Other hazards:** No major hazards.

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** Prolonged contact may sensitise skin by defatting.

**Eye contact:** Slight irritant (including mechanical irritation)

**Ingestion:** Unlikely to be harmful by ingestion.

**Inhalation:** It is unlikely that this substance will be inhaled, unless through aspiration, due to its physical properties.

### 4. FIRST AID MEASURES (ACTION)

**Skin contact:** If a person feels unwell after coming into contact with this dispersion then seek medical advice. Remove all contaminated clothes and footwear immediately unless stuck to skin.

**Eye contact:** Irrigate with plenty of water. Seek medical advice

**Ingestion:** Wash out mouth with water and give 200-300ml warm water to drink. Seek medical attention immediately. Do not induce vomiting.

**Inhalation:** Remove patient to fresh air. Treat symptomatically and seek medical advice.

### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Water. Carbon dioxide. Dry chemical powder. Foam Do not use water jet

**Exposure hazards:** Virtually non-flammable as supplied. Residue may support combustion. Avoid contact with skin.

**Protection of fire-fighters:** Respiratory Protective Equipment (RPE) must be worn.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Avoid contact with skin/eyes. Do not inhale mists. Avoid ingestion.

[cont...]

## 35% WAX EMULSION

**Environmental precautions:** Prevent contamination of drains/watercourses/vegetation. Advise police.

**Clean-up procedures:** Adsorb onto sand/earth/similar adsorbent material. Once clear, wash the spillage area clean with water and detergent.

**7. HANDLING AND STORAGE**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid contact with skin/eyes. Do not inhale mists. Avoid ingestion.

**Storage conditions:** Store in closed containers, well protected from frost. Stir well before use.

**Suitable packaging:** Most packagaing suitable, avoid mild-steel.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Wear suitable respiratory protective equipment to prevent overexposure to mist.

**Hand protection:** Protective gloves. Water repellent barrier cream

**Eye protection:** Safety goggles. Ensure eye bath is to hand.

**Skin protection:** Wear suitable protective clothing. Water-repellent barrier cream.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Flowable aqueous emulsion

**Colour:** Off-white

**Odour:** Perceptible odour

**Viscosity:** 200 - 1000 cps.

**Oxidising:** No data

**Evaporation rate:** No data

**Solubility in water:** Miscible

**Also soluble in:** No data.

**Boiling point/range°C:** 100

**Melting point/range°C:** 0

**Flammability limits %: lower:** No data

**upper:** No data

**Flash point°C:** No data

**Part.coeff. n-octanol/water:** No data

**Autoflammability°C:** No data

**Vapour pressure:** No data

**Relative density:** 0.90 - 1.00

**pH:** 8.5 - 10.5

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Extremes of temperature. Protect from frost.

**Materials to avoid:** Strong acids. Strong bases. Strong oxidising agents.

**Haz. decomp. products:** The residue of this emulsion may liberate toxic fumes when strongly heated. In combustion emits mainly oxides of carbon

## 35% WAX EMULSION

**11. TOXICOLOGICAL INFORMATION**

**Effects of exposure** Slight irritant to eyes and skin Excessive contact with skin may lead to de-fatting

**Routes of exposure** Eyes skin, mouth and nose

**12. ECOLOGICAL INFORMATION**

**Mobility:** Miscible with water.

**Persistence and degradability:** No data.

**Bioaccumulative potential:** No data.

**Other adverse effects:** No data.

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal:** Mix or dissolve with a combustible material and burn in a chemical incinerator equipped with afterburners and scrubbers. In accordance with the local or national legislation.

**Disposal of packaging** Incinerate residues only in officially approved incinerator. Dispose of empty containers only on dumps designated for special waste or at an incineration plant for industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** -

**Shipping name:** NOT CLASSIFIED FOR TRANSPORT

**IMDG / IMO**

**UN no:** -

**Labelling:** NOT CLASSIFIED FOR TRANSPORT

**IATA / ICAO**

**UN no:** -

**Labelling:** NOT CLASSIFIED FOR TRANSPORT

**15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.



**Risk phrases:** R36: Irritating to eyes.

**Safety phrases:** S25: Avoid contact with eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. ADDITIONAL INFORMATION**

**Additional information:** For use as an anti-tack/mould release agent Gives protection against ozone attack.

**Risk phrases used in s.2:** R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

R53: May cause long-term adverse effects in the aquatic environment.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Aquaspersions Limited shall not be held liable for any damage resulting from handling or from contact with the above product.